

Floyd County has a moderate risk profile. Radon is detected in ~100% of wells, driven by geological sources. Contamination is often invisible — testing is the only way to confirm your well's safety.

N/A
HOUSEHOLDS ON
PRIVATE WELLS

Varies
PRIMARY
AQUIFER TYPE

MODERATE
OVERALL
RISK LEVEL

YOUR TOP WATER QUALITY RISKS

| CONTAMINANT | HOW COMMON | RISK LEVEL | SOURCE & CONTEXT |
|-------------------|---------------------------|---------------------|---|
| Radont | ~100% of wells | Advisory | Geological — Radioactive gas dissolved from uranium-bearing rock |
| Iron* | ~7% above aesthetic limit | Moderate | Geological — Common in glacial and alluvial aquifers; staining and taste |
| Manganese* | ~5% above aesthetic limit | Moderate | Geological — Found in reducing aquifer zones alongside iron |
| Chloride* | ~100% of wells | Low-Moderate | Road/Geological — Road salt application and natural mineral deposits |
| Sulfate* | ~100% of wells | Low-Moderate | Geological — Natural dissolution from gypsum and sulfate minerals |

* Secondary standard — an aesthetic limit for taste, odor, or staining. Not a health-based EPA limit.

† No finalized EPA primary MCL. Figure shows detection frequency, not regulatory exceedance.

WHAT TO DO NEXT

- Order a water test.**
Test for Radon, Iron, Manganese, Chloride, coliform bacteria. Bacteria annually; others every 3–5 years.
- Get your free county report.**
See full data, treatment options, and certified labs at <https://yourwaterreport.com/states/va/floyd-county/>
- Upload your lab results.**
We'll interpret them, flag anything above limits, and recommend next steps — free.

KNOW YOUR WELL

Well age / year drilled

Last water test date

Treatment systems installed

Well driller / service contact

WHAT YOUR RESULTS MEAN

Use this to interpret your lab report — match the contaminant to your result.

| IF YOUR TEST SHOWS | WHAT IT MEANS | CONSIDER |
|---------------------------------|--|-----------------------------------|
| Bacteria detected | Immediate concern | Shock chlorination; add UV system |
| Radon > 4,000 pCi/L | EPA proposed limit; also affects indoor air | Aeration system; test indoor air |
| Iron > 0.3 mg/L | Staining, taste — aesthetic issue | Oxidizing iron filter |
| Manganese > 0.05 mg/L | Aesthetic + health concern at high levels | Oxidation + filtration system |

WHO SHOULD USE THIS

- Homeowners on private wells — not covered by public water testing
- Home buyers doing due diligence before closing
- Families with infants, elderly, or immunocompromised members
- Anyone who hasn't tested their well in the past 3 years

LOCAL RESOURCES

Full county report
<https://yourwaterreport.com/states/va/floyd-county/>

Free personalized well water report at
<https://yourwaterreport.com/states/va/floyd-county/>

Data: EPA ECHO · USGS NWIS · Water Quality Portal · U.S. Census ACS
For informational purposes only. Contact a licensed professional for testing and treatment.